Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"108080254"	US-PGPUB; USPAT	OR	ON	2007/03/18 16:37
L2	0	"8080254"	US-PGPUB; USPAT	OR	ON	2007/03/18 16:37
L3	7	"808254 "	US-PGPUB; USPAT	OR	ON	2007/03/18 16:44
L4	8	"5041997"	US-PGPUB; USPAT	OR	ON	2007/03/18 16:58
L5	. 7	"808254"	US-PGPUB; USPAT	OR	ON	2007/03/18 17:18
L6	8	"5041997"	US-PGPUB; USPAT	OR.	ON	2007/03/18 17:19
L13	1.	"5805318"	US-PGPUB; USPAT	OR	ON	2007/03/18 22:55
L14	37	Test\$3 WITH apparatus with external with receiver	US-PGPUB; USPAT	OR	ON	2007/03/18 22:22
L15	10561	Test\$3 WITH apparatus with external with receiver with stress\$3 signal with repeater	US-PGPUB; USPAT	OR	ON	2007/03/18 22:22
L16	243	15 AND (test\$3 with apparatus)	US-PGPUB; USPAT	OR	ON	2007/03/18 22:23
L17	5	16 AND (external\$3 with couple)	US-PGPUB; USPAT	OR	ON	2007/03/18 22:28
L18	11	"561759"	US-PGPUB; USPAT	OR	ON	2007/03/18 22:35
L19	2	"6725171"	US-PGPUB; USPAT	OR ′	ON .	2007/03/18 22:36
L20	32949	external ADJ receiver with test\$3 device same coupler	US-PGPUB; USPAT	OR	ON	2007/03/18 22:37
L21	18217	20 and (test\$3 device and repeater or fiber)	US-PGPUB; USPAT	OR	ON	2007/03/18 22:37
L22	2	21 and (external with device NEAR2 output ADJ port)	US-PGPUB; USPAT	OR	ON	2007/03/18 22:42
L23	27	"5631571"	US-PGPUB; USPAT	OR	ON	2007/03/18 22:47
L24	34	"5073767"	US-PGPUB; USPAT	OR	ON	2007/03/18 22:54
L25	13	"6021315"	US-PGPUB; USPAT	OR	ON	2007/03/18 22:54
L26	13	"6021315"	US-PGPUB; USPAT	OR	ON	2007/03/18 22:55

	·					
L27	13	"6021315"	US-PGPUB; USPAT	OR	ON	2007/03/18 23:03
L28	13	"6021315"	US-PGPUB; USPAT	OR	ON	2007/03/18 23:46
L29	8	"5041997"	US-PGPUB; USPAT	OR	ON	2007/03/18 23:46
S1	. 0	"9796880"	US-PGPUB; USPAT	OR	ON	2007/03/14 13:44
S2	4	"5898811"	US-PGPUB; USPAT	OR	ON	2007/03/08 17:18
S3	1131657	Test AND transmit\$3 AND stress WITH medium AND repeater or fiber\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:39
S4	2504	S3 AND (stress\$3 WITH medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:42
S5	27	S4 AND (tes\$4 WITH transmitter AND Stress\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:41
S6	45481	S4 AND repeater OR fiber AND transmitter And receiver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:42
S7	509	S6 AND (transmitter With switch WITH stress\$3 MEdia and CPU and Repeater)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:43

	r		,			
S8		S7 AND (output with port with inputport)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:45
S9 ⁻	327	S7 AND input and output AND port	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:53
S10	2423	communication WITH testing WITH apparatus	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:58
S11		S10 and stress\$ WITH test with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:19
S12	85722	(output WITH port) SAME (reference WITH test signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 16:20
S13	373	S12 AND (stress with signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 17:13
S14	2	"2000262324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 17:14

S15	2	"20060262324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 17:14
S16	396	398/9	US-PGPUB; USPAT	OR	ON	2007/03/14 13:44
S17	910	398/9.ccls.	US-PGPUB; USPAT	OR	ON .	2007/03/14 13:46
S18	6	S17 AND (output WITH port with input with port with reference with signal)	US-PGPUB; USPAT	OR	ON	2007/03/14 13:53
S19	. 0	S17 AND (tes\$3 NEAR port\$s SAME stress WITH signal)	US-PGPUB; USPAT	OR	ON	2007/03/14 13:54
S20	0	S17 AND (tes\$3 NEAR port\$s SAME stress WITH signal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 13:54
S21	0	S17 AND (test\$3 NEAR port\$1 SAME stress WITH signal)	US-PGPUB; USPAT	OR	ON	2007/03/14 13:54
S22	0	S17 And (test\$4 AND appartus)	US-PGPUB; USPAT	OR	ON	2007/03/14 13:55
S23	57	S17 And (testing AND apparatus)	US-PGPUB; USPAT	OR	ON	2007/03/14 13:56
S24	0	S17 And (testing AND apparatus SAME stress\$3 with medium)	US-PGPUB; USPAT	OR	ON	2007/03/14 13:57
S25	0	S17 And (testing AND apparatus) SAME (stress\$3 with medium)	US-PGPUB; USPAT	OR	ON	2007/03/14 13:57
S26	0	S17 And (test\$3 AND apparat\$5) SAME (stress\$3 with medium)	US-PGPUB; USPAT	OR	ON	2007/03/14 13:58
S27	80	398/16.ccls.	US-PGPUB; USPAT	OR	ON	2007/03/14 14:22
S28	10	"5848017"	US-PGPUB; USPAT	OR	ON	2007/03/14 14:26
S29	0	S16 AND (stress\$3 WITH medium WITH reference WITH signal)	US-PGPUB; USPAT	OR	ON	2007/03/14 14:27
S30	21	(stress\$3 WITH medium) SAME (reference WITH signal)	US-PGPUB; USPAT	OR	ON	2007/03/14 14:32
S31	8580	(stress\$3 WITH medium)	US-PGPUB; USPAT	OR	ON	2007/03/14 14:34
S32	0	S16 AND S31	US-PGPUB; USPAT	OR	ON	2007/03/14 14:32

S33	18	S31 AND (test\$3 NEAR5 Signal with stress)	US-PGPUB; USPAT	OR	ON	2007/03/14 14:40
S34	0	S31 and S16	US-PGPUB; USPAT	OR	ON	2007/03/14 14:41
S35	105	398/138.ccls.	US-PGPUB; USPAT	OR ·	ON	2007/03/14 14:41
S36	0	S35 and (stress\$3 with medium)	US-PGPUB; USPAT	OR	ON	2007/03/14 14:42
S37	9	S35 and stress	US-PGPUB; USPAT	OR	ON	2007/03/14 14:44
S38	0	359/110.ccls.	US-PGPUB; USPAT	OR	ON	2007/03/14 14:46
S39	121	398/181.ccls.	US-PGPUB; USPAT	OR	ON	2007/03/14 15:04
S40	362	(test\$3 WITH stress\$3 WITH medium) SAME (stress\$3 Signal\$1 AND repeater and fiber)	US-PGPUB; USPAT	OR	ON	2007/03/14 15:09
S41	6	S40 AND (optical WITH test\$3 WITH apparatus)	US-PGPUB; USPAT	OR	ON .	2007/03/14 15:08
S42	497	(test\$3 WITH stress\$3 WITH medium) SAME (stress\$3 Signal\$1 AND repeater and fiber)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/14 15:10
S43		S42 AND (test\$1 near3 apparatus)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:14
S44	123	398/181.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:17
S45	9	(communication with test\$1 same apparatus\$3) AND (repeater SAME fiber)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:21

S46	1	(communication with test\$1 same apparatus\$3) AND (repeater SAME fiber and CPU and switch and stress WITH medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:22
S47	0	(test\$3 with stress with medium) NEAR2 (transmitter\$1 and receiver or transceiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:27
S48	14	(test\$3 with stress with medium) AND (transmitter\$1 and receiver or transceiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/03/14 15:40
S49	5	"6654104"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/03/14 17:05
S50	35	(communication with test\$3) Same (reference with test with signal with input and output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:13
S51	2116	(test\$3 with reference with signal\$1) Same (reference with test with signal with input and output)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:14
S52	25	S51 AND repeater	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/03/14 17:17

		· · · · · · · · · · · · · · · · · · ·				
S53	2	"20050213965"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:33
S54	0	"200623778"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:33
S55	2	"20060023778"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:40
S56	7	"5552791"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 17:41
S57	0	(test\$3 WITH apparatus with inernal NEAR transmitter and external NEAR transmitter) AND (stress\$3 WITH medium NEAR CPU WITH receiver\$3)	US-PGPUB; USPAT	OR	ON	2007/03/17 18:20
S58	0	(test\$3 WITH apparatus with inernal NEAR transmitter and external NEAR transmitter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/03/17 18:21
S59	0	(test\$3 ADJ apparatus with inernal NEAR transmitter and external NEAR transmitter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 18:21

S60	190394	(test\$3 ADJ apparatus with rtans\$5	US-PGPUB;	OR	ON	2007/03/17 18:23
	23031	AND receiver AND stress\$3 OR attenuation)	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			,,
S61	0	S60 AND (test\$3 NEAR apparatus\$ WITH stress WITH medium AND CPU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 18:45
S62	21	S60 AND (input with output AND stress WITH medium AND CPU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 18:44
S63	0	364/371.01.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 18:45
S64	2218	356/73.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 18:45
S65	0	S64 AND (test\$3 NEAR apparatus\$ WITH stress WITH medium AND CPU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 18:45
S66	0	S60 AND (test\$3 NEAR apparatus\$ WITH stress WITH medium AND CPU)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 18:46

S67	480	S64 AND S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 18:46
S68	34	S67 and (stress with medium AND test\$3 apparatus with communication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 19:33
S69	0	364/525.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 19:34
S70	139	356/447.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 19:34
S71	4	S70 AND (test\$3 ADJ apparatus with stress\$3 or attenuator ORsispertion with medium AND trans\$3 and receiver\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/17 19:36